

20150703 063030




FIG. 1

DSC (bottom) and TGA (top) of Rubitecan Form A.



11/6/28

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18:06:50 2000
 Number of sample scans: 128
 Number of background scans: 128
 Resolution: 2.000
 Sample gain: 8.0
 Mirror velocity: 0.6329
 Aperture: 69.00




FIG. 3

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 20:43 15 2000
 Number of sample scans: 128
 Number of background scans: 0
 Resolution: 4.000
 Sample gain: 32.0
 Mirror velocity: 0.3165
 Aperture: 59.00




FIG 4

2025-06-06 09:00




FIG. 5

DSC (bottom) and TGA (top) of Rubitecan Form B, DSC001




FIG. 6

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18:31:51 2000
 Number of sample scans: 128
 Number of background scans: 128
 Resolution: 2.000
 Sample gain: 8.0
 Mirror velocity: 0.6329
 Aperture: 69.00




FIG. 7

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 21:08:40 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.000
Sample gain: 64.0
Mirror velocity: 0.3165
Aperture: 59.00




FIG. 8

20120906050303.F





FIG. 9

DSC (bottom) and TGA (top) of Rubitecan Form C.



IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18:40:03 2000
 Number of sample scans: 128
 Number of background scans: 128
 Resolution: 2.000
 Sample gain: 8.0
 Mirror velocity: 0.6329
 Aperture: 69.00




FIG. 11

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 21.02.29 2000
 Number of sample scans: 128
 Number of background scans: 0
 Resolution: 4.000
 Sample gain: 64.0
 Mirror velocity: 0.3165
 Aperture: 59.00




FIG. 12




FIG. 13

DSC (bottom) and TGA (top) of Rubitecan Form D.




FIG. 14

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18 22 39 2000
 Number of sample scans: 128
 Number of background scans: 128
 Resolution: 2.000
 Sample gain: 8.0
 Mirror velocity: 0.6329
 Aperture: 69.00




FIG. 15

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 20:49:39 2000
 Number of sample scans: 128
 Number of background scans: 0
 Resolution: 4.000
 Sample gain: 64.0
 Mirror velocity: 0.3165
 Aperture: 59.00




FIG. 16




FIG. 17

DSC (bottom) and TGA (top) of Rubitecan Form E.




FIG. 18

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18:14:49 2000
 Number of sample scans: 128
 Number of background scans: 128
 Resolution: 2.000
 Sample gain: 8.0
 Mirror velocity: 0.6329
 Aperture: 69.00




FIG. 19

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 20 55:54 2000
 Number of sample scans: 128
 Number of background scans: 0
 Resolution: 4.000
 Sample gain: 64.0
 Mirror velocity: 0.3165
 Aperture: 59.00

202




FIG. 20

20130303 065000T




FIG. 21

TGA of Rubitecan Form F.

Sample: RUBITECAN
Size: 0.6500 mg
Method: RUBITECAN
Comment: SSC# 3131902, DMF/25%H₂O, A VS C, NTBK 270-62

TGA

File: D:\...ldsc\ga\lg2-378.tga
Operator: BAC
Run Date: 4-Apr-00 10:07




FIG. 22

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Thu May 11 12:56:27 2000
Number of sample scans: 256
Number of background scans: 256
Resolution: 4.000
Sample gain: 8.0
Mirror velocity: 0.6329
Aperture: 100.00




FIG. 23

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Thu May 11 13:32:48 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.000
Sample gain: 32.0
Mirror velocity: 0.3165
Aperture: 59.00




FIG. 24

2017-03-06 09:00




FIG. 25

DSC (bottom) and TGA (top) of Rubitecan Form G.




FIG. 26

Acquisition Parameters

Collection time: Thu May 18 20:28:17 2000
Number of sample scans: 128
Number of background scans: 128
Resolution: 2.000
Sample gain: 8.0
Mirror velocity: 0.6329
Aperture: 69.00




FIG. 27

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Thu May 18 21:09:50 2000
 Number of sample scans: 128
 Number of background scans: 0
 Resolution: 4.000
 Sample gain: 4.0
 Mirror velocity: 0.3165
 Aperture: 59.46

282




FIG. 28

XRPD Patterns of Rubitecan Solid Forms Containing Amorphous Material.

*** Multi Plot ***




FIG. 29